


# MONSTERPUMP-200

## 24 VDC · 230 VAC

High flow pumping group for diesel



200  
l/min

24  
VDC

230  
VAC

- ✓ Self-suction - self-priming
- ✓ Eccentric of self-adjusting blades
- ✓ Suitable for diesel transfer at a high flow



DIESEL

# MONSTERPUMP-200

## 24 VDC · 230 VAC

High flow pumping group for diesel

200  
l/min

24  
VDC

230  
VAC



MONSTERPUMP-200 24 VDC	000900000
MONSTERPUMP-200 230 VAC	00092-CF00000

### Features

- › Self-suction - self-priming pump
- › Eccentric of self-adjusting blades
- › Suitable for diesel transfer at a high flow

### Components

- › Junction box with key switch
- › 2 x AG-90 24 VDC pumps joined by a manifold
- › 2 x AG-100 230 VAC pumps joined by a manifold
- \*the manifold can be manufactured on request.

### Technical data

Flow	200 l/min
Motor	24 VDC: 2 x 0.37 kW 230 VAC: 2 x 1 kW
Consumption	24 VDC: 30-47 A 230 VAC: 7-12 A
Operation	S1 continuous
Motor speed	1,500 rpm
Protection	IP-55
Pressure	24 VDC: 1.4 bar 230 VAC: 3 bar
Max. suction length	2.7 m
Priming pipe suction	5 m
Ambient temperature	-10 °C / +50 °C
Connection	M1 1/2" BSP threads




24 VDC: 35 kg  
230 VAC: 44.5 kg  
(approx.)



24 VDC: 440x410x460 mm  
230 VAC: 400x350x550 mm  
LxWxH (approx.)

### Flow curves



\*Easy change of the inlet and outlet direction

### Optional

Metallic trolley with bedplate and wheels

Hoses and accessories

Hose-reel





See the product  
on our website

[www.gespasa.es](http://www.gespasa.es)



Partida Horta d'Amunt s/n  
25600 Balaguer (Lleida) · Spain

T +34 973 451 072  
[gespasa@gespasa.es](mailto:gespasa@gespasa.es)



Ref. 20240215.V7

\*Because of the constant innovations and development, TOT COMERCIAL SA reserves the right to modify their product specifications and publicity, without prior notification.

